

ტოიოტა ცენტრი თეგეტა
თბილისი, უნივერსიტეტის ქ. N6
(032) 229 20 00
www.toyota-tegeta.ge



² ეს მონაცემები მიღებულია იდეულურ პირობებში ჩატარებული ტესტის შედეგად. მონაცემებზე, განსაკუთრებით კი საწვავის ხარჯიზე გაულიას ახალებულ და ცვლილ სრულობის მიხედვით, გაფინანსებული აქტორების მიერ მდგრადი დონი, პრინციპულურად და ტესტირებულ მასალაზე მიმღები შეკრებით აყიდვა უზრუნველყოფილი ტესტირების ხელმისაწვდომობრივ უზრუნველყოფის გარეშე. მაგრამ მოწოდებული ტესტი კი აღიღონიშვნელ ცუტრიტი. მაგრამ მასალაზე მიმღები ტესტირების სამიზნი ნაწილის რეალურობაზე “Toyota-Caucusware LLC”-ის ნინაგვაზე ნირილიბითა თანხმიშის გარეშე აღისულულია. შენიშვნა: ამ მიზომურობის გამოყენებული ფოტოები და ტესტირების მასალასთან ერთობლივ მიმღები ტესტების შემთხვევაში მომდევნობის მიზანის მიხედვით.

თიბისია ადგილობრივ უძღვებელ უნდა აკონტრილობდეს ვათარებას აკრომილის გარშემო და იცავდეს უსაფრთხოების ყველა წომას.

Toyota C-HR


www.toyota-tegeta.ge



 ToyotaTegeta

კონფიგურაცია	C-ANARY 2.0	C-RYSTAL 2.0	C-OOL 2.0	C-ULT 2.0	C-ORE 2.0	GRS	C-RYSTAL 1.2
საფიქსი	Suffix W0	Suffix X4	Suffix X5	Suffix Z3	Suffix Z2	Suffix 6N	Suffix X0
წამყანი თვლები	2WD	2WD	2WD	2WD	2WD	2WD	4WD
ძრავა	2.0P	2.0P	2.0P	2.0P	2.0P	2.0P	1.2P
ძრავის მოცულობა (სმ³)	1987	1987	1987	1987	1987	1987	1197
გადაცემისა კოლოფი	CVT	CVT	CVT	CVT	CVT	CVT	CVT
საწვავის აზის ტევადობა	50	50	50	50	50	50	50
საწვავის ტიპი	ბენზინი	ბენზინი	ბენზინი	ბენზინი	ბენზინი	ბენზინი	ბენზინი
საწვავის ხარჯი, კომპინირებული (ლიტრი/100კმ)*	6.9	6.9	6.9	6.9	6.9	6.9	6.6
შექსიმური სიმძლავრე (ცხ.ა.)	148	148	148	148	148	148	116
მაქსიმალური სიმძლავრე (ცვტ)	109/6000	109/6000	109/6000	109/6000	109/6000	109/6000	85/5200
შექს. ბრუნის მომენტი (ნმ./ბრუნი წუთში)	189/3800-3900	189/3800-3900	189/3800-3900	189/3800-3900	189/3800-3900	189/3800-3900	185/1500-4000
გაქსიმალური სიჩქარე	195	195	195	195	195	195	180
აჩქრება (0-100 კმ)	10.9	10.9	10.9	10.9	10.9	10.9	11.4
კომიტეს (მგ)	154	154	154	154	154	154	154
ბორბლებს შორის ბაზა (მგ)	2640	2640	2640	2640	2640	2640	2640
გაბარიტები (მგ)	4390x1795x1565	4390x1795x1565	4390x1795x1565	4390x1795x1565	4390x1795x1565	4390x1795x1565	4390x1795x1565
დაუტირთავი ნორა (კგ.მინ)	1420-1470	1420-1470	1420-1470	1420-1470	1420-1470	1420-1470	1460-1510
მიღლამი ნორა (კგ)	1960	1960	1960	1960	1960	1960	1930
გამონაბილების ევრო სტანდარტი	EURO 5	EURO 5	EURO 5	EURO 5	EURO 5	EURO 5	EURO 6
ეპსიდენტი							
LED ტაიპის მაშუქები	+	+	+	+	+	+	+
სინაოლის კოტენილის სისტემა	+	+	+	+	+	+	+
წინა ნისლაზინალდევები მაშუქები	+	+	+	+	+	+	+
დილიდური ტაპს უკანა მაშუქები	-	-	-	+	+	+	-
დალისით ანთებული მაშუქები (DRL)	+	+	+	+	+	+	+
ელექტროლად კაცვადი გვერდითა	+	+	+	+	+	+	+
სარკები	17"	17"	17"	17"	17"	17"	17"
ალუმინის დისკები	+	+	+	+	+	+	+
სათაბარივი საურავი	+	+	+	+	+	+	+
ძარის ფერი	ერთ ტონალობაში ორ ტონალობაში შიერთ ტონალობაში მიერთ ტონალობაში (GR Sport) ორ ტონალობაში					ერთ ტონალობაში	
ინტერიერი/საცავრძლებელი							
უკანა ხედვის სარკე	+	+	+	+	+	+	+
საგარელის გათმის	-	+	+	+	+	+	+
წინა საცავრძლები	სპორტული	სპორტული	სპორტული	სპორტული	სპორტული	სპორტული	სპორტული
სავარძლების მასალა	ქსოვილი	ქსოვილი	ტყავი	ტყავი	ტყავი	აღვანტარა	ქსოვილი
სავარძლის წელის საჭრების მარეცვლირეცელი	-	+	+	+	+	+	+
ელექტრონულად რეგულირებადი წინა სავარძლები	მძღოლის-მექანიკური	მძღოლის-და მგზავრის მექანიკური	მძღოლის-ელექტროს მგზავრის მექანიკური	მძღოლის-ელექტროს მგზავრის მექანიკური	მძღოლის-ელექტროს მგზავრის მექანიკური	მძღოლის-და მგზავრის მექანიკური	მძღოლის-ელექტროს მგზავრის მექანიკური
კომფორტი							
საჭე	ტყავი	ტყავი	ტყავი	ტყავი გათბობით	ტყავი გათბობით	(GR Sport) ტყავი	ტყავი
საჭის სვეტი	დახრის	დახრის	დახრის	დახრის	დახრის	დახრის	დახრის
ტელესკოპური	ფერეციით, ტელესკოპური	ფერეციით, ტელესკოპური	ფერეციით, ტელესკოპური	ფერეციით, ტელესკოპური	ფერეციით, ტელესკოპური	ფერეციით, ტელესკოპური	ფერეციით, ტელესკოპური
კრუიზ-კონტროლი	-	+	+	+	+	+	+
წევის ს ენსინი	+	+	+	+	+	+	+
ფა-შექები	+	+	+	+	+	+	+
A/C	ავტომატური (ორზონიანი)	ავტომატური (ორზონიანი)	ავტომატური (ორზონიანი)	ავტომატური (ორზონიანი)	ავტომატური (ორზონიანი)	ავტომატური (ორზონიანი)	ავტომატური (ორზონიანი)
უკან ხედვის მონიტორი	+	+	+	+	+	+	+
მულტი-ინფორმაციული მონიტორი	+	+	+	+	+	+	+
დაქოქვა	ღილაკზე დაქერით	ღილაკზე დაქერით	ღილაკზე დაქერით	ღილაკზე დაქერით	ღილაკზე დაქერით	(GR Sport)	ღილაკზე დაქერით
პარკირების წინა და უკანა სენსორები	-	+	+	+	+	+	+
მაღალი მარეცელებელი							
აუდიო სისტემა	+	+	+	+	+	+	+
აუდიო სისტემის მონიტორი	+	+	+	+	+	+	+
ტელეფონი/Bluetooth	+	+	+	+	+	+	+
დინამიკის მონიტორი	6 დინამიკი	6 დინამიკი	6 დინამიკი	9 JBL დინამიკი	9 JBL დინამიკი	9 JBL დინამიკი	6 დინამიკი
აუდიო მუსიკური (AUX)	+	+	+	+	+	+	+
USB	+	+	+	+	+	+	+
ეპლობა/უსაფრთხოება							
VSC - ავტომობილის სტაბილურობის კონტროლის სისტემა	+	+	+	+	+	+	+
ABS	+	+	+	+	+	+	+
საბურავების წევის კონტროლის სენსორები	+	+	+	+	+	+	+
T-MATE - უსაფრთხოების სისტემები**							
წინასავარიონი უსაფრთხოების სისტემა (PSC)	-	-	-	-	-	-	-
ადაპტირებადი კრუიზ-კონტროლი (ACC)	-	-	-	-	-	-	-
ზოლიდან გადასვლის	-	-	-	-	-	-	-
გამაფრთხოებული სისტემა (LDA)	-	-	-	-	-	-	-
ავტომატური შორი განათების სისტემა (AHB)	-	-	-	-	-	-	-
ზოლში მოძრაობის დამზარება	-	-	-	-	-	-	-
სისტემა (LKA)	-	-	-	-	-	-	-
ბრმა ზონის კონტროლი (BSM)	-	+	+	+	+	+	+

C-RYSTAL 1.22	C-OOL 1.2	C-ULT 1.2	C-ORE 1.2	C-ANARY h	C-ENTER h	C-OOL h	C-ITY h	GRS h
Suffix X4	Suffix X5	Suffix Z3	Suffix Z2	Suffix KZ	Suffix 2Q	Suffix 7R	Suffix 4H	Suffix 6M
4WD	4WD	4WD	4WD	2WD	2WD	2WD	2WD	2WD
1.2P	1.2P	1.2P	1.2P	1.8H	1.8H	1.8H	1.8H	1.8H
1197	1197	1197	1197	1798	1798	1798	1798	1798
CVT	CVT	CVT	CVT	CVT	CVT	CVT	CVT	CVT
50	50	50	43	3.8	3.8	3.8	3.8	3.8
ბენზინი	ბენზინი	ბენზინი	ბენზინი	პიტრიდი	პიტრიდი	პიტრიდი	პიტრიდი	პიტრიდი
6.6	6.6	6.6	3.8	+	+	+	+	+
116	116	116	122	122	122	122		



TOYOTA CENTER TEGETA
6 University Str. Tbilisi
(032) 229 20 00
www.toyota-tegeta.ge



* These data were obtained under ideal conditions, excluding the effect of driving behavior, fuel used, mode of movement, route, the mass of the vehicle in running order, traffic, weather and other conditions that affect fuel consumption. Real fuel consumption may be different from the figures above.

Appearance and specifications are subject to change without notice. Availability of products should be checked with local Toyota sales network. No part of this publication may be reproduced, without prior written permission from Toyota Caucasus LLC.

Note: vehicles and accessories pictured and their specifications detailed in this brochure may vary from models and equipment available in your area.

** Active safety systems such as T-Mate are designed to assist the driver. The systems do not replace driver awareness and responsibility. Since there might be recognition inaccuracy caused by some external factors, drivers should not rely on the system too much. Drivers must be attentive to surrounding objects and observe the precautions while driving. T-Mate exploitation may be interfered because of external factors and Toyota is not responsible/liable for any consequences arising from use of the system.

Toyota C-HR

www.toyota-tegeta.ge

ToyotaTegeta

COMPLECTATION	C-ANARY 2.0	C-RYSTAL Bitone 2.0	C-OOL 2.0	C-ULT 2.0	C-ORE 2.0	GR SPORT	C-RYSTAL Monotone 1.2
SUFFIX	Suffix W0	Suffix X4	Suffix X5	Suffix Z3	Suffix Z2	Suffix 6N	Suffix X0
Drivetrain	2WD	2WD	2WD	2WD	2WD	2WD	4WD
Engine	2.0P	2.0P	2.0P	2.0P	2.0P	2.0P	1.2P
Engine Volume (cm ³)	1987	1987	1987	1987	1987	1987	1197
Transmission	CVT	CVT	CVT	CVT	CVT	CVT	CVT
Fuel tank capacity (L)	50	50	50	50	50	50	50
Fuel type	GAS	GAS	GAS	GAS	GAS	GAS	GAS
Fuel Consumption 100/L (combined)*	6.9	6.9	6.9	6.9	6.9	6.9	6.6
Max. Power Output (h.p.)	148	148	148	148	148	148	116
Max. Power Output (kW/rpm)	109/6000	109/6000	109/6000	109/6000	109/6000	109/6000	85/5200
Max. Torque (Nm/rpm)	189/3800-3900	189/3800-3900	189/3800-3900	189/3800-3900	189/3800-3900	189/3800-3900	185/1500-4000
Max speed km/h	195	195	195	195	195	195	180
Acceleration (100 km)	10.9	10.9	10.9	10.9	10.9	10.9	11.4
Clearance (mm)	154	154	154	154	154	154	154
Wheelbase (mm)	2640	2640	2640	2640	2640	2640	2640
Dimensions (mm)	4390x1795x1565	4390x1795x1565	4390x1795x1565	4390x1795x1565	4390x1795x1565	4390x1795x1565	4390x1795x1565
Net weight (kg)	1420-1470	1420-1470	1420-1470	1420-1470	1420-1470	1420-1470	1460-1510
Gross weight (kg)	1960	1960	1960	1960	1960	1960	1930
Euro Emission Level	EURO 5	EURO 5	EURO 5	EURO 5	EURO 5	EURO 5	EURO 6
EXTERIOR							
LED Parabola Headlight	+	+	+	-	-	-	+
LED Projector Headlight	-	-	-	+	+	+	-
Light control system	+	+	+	+	+	+	+
Front fog lights	+	+	+	+	+	+	+
LED back lights	-	-	-	+	+	+	-
LED DRL	+	+	+	+	+	+	+
Electric foldable mirrors	+	+	+	+	+	+	+
Tires	17 alloy	17 alloy	17 alloy	17 alloy	17 alloy	17 alloy	17 alloy
Spare tire	+	+	+	+	+	+	+
Body color	Monotone	Bitone	Monotone	Monotone	Bitone	Bitone (GR Sport)	Monotone
INTERIOR/SEATS							
Rear view mirror	+	+	+	+	+	+	+
Seat heater	-	+	+	+	+	+	+
Front Seat	sporty	sporty	sporty	sporty	sporty	sporty	sporty
Seat Material	fabric	fabric	leather	leather	leather	gr sport (alcantara)	fabric
Lumbar support	-	+	+	+	+	+	+
Power front seats	d: 2way manual	d&p: 2 way manual	d:power p: 2way manual	d:power p: 2way manual	d:power p: 2way manual	d&p: 2 way manual	d&p: 2 way manual
COMFORT							
Steering wheel	leather	leather	leather	leather with heater	leather with heater	leather for grs with heater	leather
Steering column	tilt & telescopic	tilt & telescopic	tilt & telescopic	tilt & telescopic	tilt & telescopic	tilt & telescopic	tilt & telescopic
Cruise Control	-	+	+	+	+	+	+
Rain sensor	+	+	+	+	+	+	+
Power windows	+	+	+	+	+	+	+
A/C	auto (dual mode)	auto (dual mode)	auto (dual mode)	auto (dual mode)	auto (dual mode)	auto (dual mode)	auto (dual mode)
Back Monitor	+	+	+	+	+	+	+
Multi Info Display	+	+	+	+	+	+	+
Starting system	push	push	push	push	push	push for grs	push
Parking sensors	-	+	+	+	+	+	+
MULTIMEDIA							
Audio system	+	+	+	+	+	+	+
Display audio	+	+	+	+	+	+	+
Bluetooth	+	+	+	+	+	+	+
Speakers	6sp	6sp	6sp	9sp JBL	9sp JBL	9sp JBL	6sp
Audio jack (AUX)	+	+	+	+	+	+	+
USB	+	+	+	+	+	+	+
OFFROAD / SAFETY							
VSC	+	+	+	+	+	+	+
ABS	+	+	+	+	+	+	+
Tyre pressure control system	+	+	+	+	+	+	+
Safety Airbags	dp single	dp single + csa	dp single + csa	dp single + csa	dp single + csa	dp single + csa	dp single + csa
T-MATE*							
Pre-collision system (PSC)	-	-	-	-	-	-	-
Auto Cruise Control (ACC)	-	-	-	-	-	-	-
Lane Departure Alert (LDA)	-	-	-	-	-	-	-
Auto High Beam (AHB)	-	-	-	-	-	-	-
lane keep assist (LKA)	-	-	-	-	-	-	-
Blind spot monitor (BSM)	-	+	+	+	+	+	+

C-RYSTAL Bitone 1.2	C-OOL 1.2	C-ULT 1.2	C-ORE 1.2	C-ANARY h	C-ENTER h	C-OOL h	C-ITY h	GR SPORT
Suffix X4	Suffix X5	Suffix Z3	Suffix Z2	Suffix KZ	Suffix 2Q	Suffix 7R	Suffix 4H	Suffix 6M
4WD	4WD	4WD	4WD	2WD	2WD	2WD	2WD	2WD
1.2P	1.2P	1.2P	1.2P	1.8H	1.8H	1.8H	1.8H	1.8H
1197	1197	1197	1197	1798	1798	1798	1798	1798
CVT	CVT	CVT	CVT	CVT	CVT	CVT	CVT	CVT
50	50	50	50	43	43	43	43	43
GAS	GAS	GAS	GAS	Hybrid	Hybrid	Hybrid	Hybrid	Hybrid
6.6	6.6	6.6	6.6	3.8	3.8	3.8	3.8	3.8
116	116	116	116	122	122	122	122	122
85/5200	85/5200	85/5200	85/5200	90	90	90	90	90
185/1500-4000	185/1500-4000	185/1500-4000	185/1500-4000	142/3600	142/3600	142/3600	142/3600	142/3600
180	180	180	180	170	170	170	170	170
11.4	11.4	11.4	11.4	11.0	11.0	11.0	11.0	11.0
154	154	154	154	142	142	142	142	142
2640	2640	2640	2640	2640	2640	2640	2640	2640
4390x1795x1565	4390x1795x1565	4390x1795x1565	4390x1795x1565	4390x1795x1565	4390x1795x1565	4390x1795x1565	4390x1795x1565	4390x1795x1565
1460-1510	1460-1510	1460-1510	1460-1510	1420-1460	1420-1460	1420-1460	1420-1460	1420-1460
1930	1930	1930	1930	1860	1860	1860	1860	1860
EURO 6	EURO 6	EURO 6	EURO 6	EURO 6	EURO 6	EURO 6	EURO 6	EURO 6
EXTERIOR								
LED Parabola Headlight	+	+	-	-	+	+	-	-
LED Projector Headlight	-	-	+	+	-	-	+	+
Light control system	+	+	+	+	+	+	+	+
Front fog lights	+	+	+	+	+	+	+	+
LED back lights	-	-	+	+	-	-	+	+
LED DRL	+	+	+	+	+	+	+	+
Electric foldable mirrors	+	+	+	+	-	-	+	+
Tires	17 alloy	17 alloy	17 alloy	17 alloy	17 alloy	17 alloy	17 alloy	17 alloy
Spare tire	+	+	+	+	+	+	+	+
Body color	Monotone	Bitone	Monotone	Bitone	Monotone	Bitone	Monotone	Bitone (GR Sport)
INTERIOR/SEATS								
Rear view mirror	+	+	+	+	+	+	+	+
Seat heater	-	+	+	+	+	+	+	+
Front Seat	sporty	sporty	sporty	sporty	sporty	sporty	sporty	sporty
Seat Material	fabric	fabric	leather	leather	fabric	leather	leather	gr sport (alcantara)
Lumbar support	-	+	+	+	-	+	+	+
Power front seats	d: 2way manual	d&p: 2 way manual	d:power p: 2way manual	d:power p:2way manual	d:power p: 2way manual	d: 2way manual	d:power p:2way manual	d:power p:2way manual
COMFORT								